



NORDON
BEYOND EQUIPMENT



Nordon is proud to introduce Chocolady...

a state of the art chocolate dispenser, developed to increase your breakfast participation by offering delicious hot chocolate! And it's also great for hot beverages. Perfect for all levels of your K-12 Foodservice operations.



Drives Impulse Purchase and incremental sales! The colder the weather, the hotter your profits!

FEATURES


- Continuous stir system
- Stainless steel boiler tank and heating element
- Adjustable thermostat and overheat sensor/reset
- Lots of product visibility
- Drip Tray, Water Level gauge and anti-clog faucet
- Quick disassembly and easy maintenance /cleaning of spigot, bowl, etc.
- Non-slip feet
- Convenient 5 & 10 quart sizes
- Small footprint for Big Profits!

SL8LD05116 Chocolady 5.3

SL8LD10116 Chocolady 10.6

Bowl capacity	5.3 quarts 21 8oz servings	10.6 quarts 42-8oz servings
Dimensions LxDxH	11.3 x 16.2 x 18.3 inches	11.3 x 16.2 x 22.9 inches
Net weight	17.6 pounds	18.7 pounds
Gross weight	19.8 pounds	20.9 pounds
Electrical	120V 1000W, 9 Amps, CE	120V 1000W, 9 Amps, CE



**NORDON**
BEYOND EQUIPMENT

1 Cabot Boulevard East – Langhorne, PA 19047

info@coolersolutions.com

Toll Free: 1.800.544.0400 | Local: 215.504.4700 | Fax: 215.504.9100

Please ask about additional hot, cold or dry food service equipment not called out here.

Shelley Gordon

shelleyg@nordoninc.com/shelleyg@coolersolutions.com

Office: 215-504-4700 ext 220

Cell: 215-901-8477

SERVICE & TECHNICAL RELATED ISSUES

Parts Department

Ext 304 partsrequest@nordoninc.com

Service Department

Ext 302 servicerequest@nordoninc.com

Make a purchase and a portion will go to GENYOUth Foundation in your Name, State and Region
on behalf of Nordon, Inc.

Pricing to change with written notice



VR-06

MEASUREMENTS:

21-1/4"W x 27-3/4"D x 36-1/4"H

WEIGHT:

130 LBS.

ELECTRICAL REQUIREMENTS:

115 Volt

LED Lighting Standard

VR-06	
LOCKS	
CASTERS	N/A
SHELF	
SHELF CLIPS	

PACK OUT

ESTIMATES

VR-06

(2—1/2 Shelves Standard)

8oz

10oz

16oz

PER SHELF	35	30	30
2½ SHELVES	98	88	88
3½ SHELVES	133	108	108



VR-10

MEASUREMENTS:

24-7/8"W x 23-1/4"D x 53-3/4"H

WEIGHT:

170 LBS.

ELECTRICAL REQUIREMENTS

115 Volt

LED Lighting Standard

VR-10

LOCKS

CASTERS

SHELF

SHELF CLIPS (4pk)

VR-10

(3 Shelves Standard)

8oz

10oz

16oz

PER SHELF

52

42

42

3 SHELVES

208

168

168

4 SHELVES

260

210

N/A

PACK OUT
ESTIMATES



VR-12

MEASUREMENTS:

24-7/8"W x 23-1/4"D x 63-5/8"H

WEIGHT:

199 LBS.

ELECTRICAL REQUIREMENTS

115 Volt

LED Lighting Standard

VR-12

LOCKS

CASTERS

SHELF

SHELF CLIPS (4pk)

PACK OUT
ESTIMATES

VR-12

(4 Shelves Standard)

	8oz	10oz	16oz
PER SHELF	52	42	42
3 SHELVES	208	168	168
4 SHELVES	260	210	210
5 SHELVES	312	252	N/A



Swing door also available

VR-37

MEASUREMENTS:

47-3/8"W x 30-3/8"D x 78-5/8"H

WEIGHT:

450 LBS.

ELECTRICAL REQUIREMENTS

115 Volt

LED Lighting Standard

VR-37 SLIDER

LOCKS

CASTERS

SHELF

SHELF CLIPS (4pk)

VR-37 (4 Shelves Standard)	8oz	10oz	16oz
PER SHELF	62	56	56
10 SHELVES	744	672	672
12 SHELVES	868	784	784
14 SHELVES	992	896	896
16 SHELVES	1,116	N/A	N/A
18 SHELVES	1,240	N/A	N/A

PACK OUT
ESTIMATES

Additional Glass Door Cooler Models

INQUIRE ABOUT DETAILS & PRICING



VR-08

MEASUREMENTS:

19-1/8"W x 21"D x 70-1/2"H

WEIGHT:

182 LBS.

ELECTRICAL REQUIREMENTS

115 Volt

LED Lighting Standard

VR-08

LOCKS

CASTERS

N/A

SHELF

SHELF CLIPS (4pk)



G3-19

LOCKS

CASTERS

SHELF

SHELF CLIPS (4pk)

G3-19

MEASUREMENTS:

29-1/2"W x 27-1/2"D x 78-5/8"

WEIGHT:

280 LBS.

ELECTRICAL REQUIREMENTS

115 Volt

LED Lighting Standard



ALPA-36H SS



ALPA-55



ALPA-99



ALPA-77



ALPA-120



ALPA-120H SLIM




MODEL	L	D	H	
ALPA-36H SS	26.3	28.6	55.6	2-Shelves/330lbs/120V, 5-15P
ALPA-55	34.8	31.7	59.3	3-Shelves/433lbs/120V, 5-15P
ALPA-77	34.8	31.7	78.7	5-Shelves/524lbs/120V, 5-20P
ALPA-99	51.5	31.7	59.3	3-Shelves/615lbs/120V, 5-20P
ALPA-120	51.5	31.7	78.7	5-Shelves/652lbs/120V, 5-20P
ALPA-120H SLIM	47	23	78.7	5-Shelves/600lbs/120V, 5-20P



Breakfast Transit Cart

- THREE SHELVES each holding three breakfast bags
- Each shelf capable of holding - 500-800 POUNDS
- Four (4) heavy duty casters - EASY TO TRANSPORT
- TEN (10) YEAR WARRANTY against rust and corrosion
- EASY TO ASSEMBLE
- Fuel Up sign included
- 63"H X 48"L X 18"W - 90 POUNDS



MILK CARTON

ELECTRICAL REQUIREMENTS: 115 Volt



KCM-58

PACK OUT
ESTIMATES



681-CLOSED

MODEL	PACK OUT	DIMENSIONS	WEIGHT
SMF34	8	34" X 33.5" X 47"	335
KCM34	8	34" X 31" X 42"	225
681	8	33" X 31" X 40.5"	220
SMF49	12	49" X 33.5" X 47"	339
KCM49	12	49.75" X 31.5" X 42"	276
569	12	47" X 31" X 40.5"	270
SMF58	16	58" X 33.5" X 47"	458
KCM58	16	58.75" X 31" X 42"	300
780	16	59" X 31" X 40.5"	320

Inquire for other model variations

SALES TERMS & CONDITIONS

Warranty valid only in USA and Canada

PRICES & SPECIFICATIONS:

Nordon & its respective manufacturers reserve the right to change the price and specifications of the equipment and/or material without notice. Prices are f.o.b. plant of manufacture.

CANCELLATION:

Buyer may cancel its order, reduce quantities, revise specifications, or extend schedules only by mutual agreement as to reasonable and proper cancellation charges which shall take into account expenses already incurred and commitment made by seller, and buyer shall indemnify seller against any loss.

FREIGHT CLASS:

All products ship under 150 freight classification, unless otherwise specified.

CUSTOMER'S FREIGHT DAMAGE PROCEDURE:

Before signing the carrier's freight bill the customer should do the following:

VISIBLE DAMAGE:

1. Inspect shipment for any damage. If you see damage or feel there may be concealed damage, mark the carrier's copy of the freight bill "damaged".
2. If there is damage to your shipment, action must be taken by you to notify the carrier within 48 hours of receipt. A freight claim must be filed with the carrier and an inspection scheduled by the carrier. It is the duty of the carrier to give you a written report upon notification. (VISIBLE AND CONCEALED).
3. For visible damage, do not accept delivery unless the condition is noted on your copy of the freight bill and signed by the driver.

CONCEALED DAMAGE:

4. If the damage is concealed, notify the carrier within 48 hours by phone and in writing. Ask them to send their agent to complete an inspection report. Retain all cartons and merchandise for inspection. It is critical that the customer take the above actions.

RETURN OF PRODUCT:

EQUIPMENT - Prior Authorization must be granted by Nordon before equipment can be returned for credit. Returns will only be authorized within 90 days of invoice date. Return authorizations are valid for 60 days. Equipment approved for return is subject to a 25% restocking charge. Returned equipment must be shipped freight pre-paid, packed in original carton, and received in good condition.

PARTS - Prior Authorization must be granted by Nordon before parts can be returned for credit. Returns will only be authorized within 30 days of invoice date. Return authorizations are valid for 60 days. Parts approved for return are subject to a \$50 or 25% restocking charge (whichever is greater). Returned parts must be shipped freight prepaid, in the original packaging and received in good condition.

LIMITED WARRANTY: Three (3) Year Warranty (Parts and Labor) & Except for "Breakfast Transit Carts" & CHOCOLADY

Nordon & its respective manufacturers, warrants to the original purchaser of respective branded equipment, including all parts thereof, that such equipment is free from defects in material and workmanship, under normal use and service as indicated by respective manufacturer installation and operation instructions, for a period of three (3) years from the date of invoice. For the purpose of this warranty, the original purchaser shall be deemed to mean the individual or company for whom the product was originally installed. Our obligation under this warranty shall be limited to repairing or replacing, including labor, any part of such product which proves thus defective. Nordon & its respective manufacturers reserves the right to examine any product claimed to be defective. If after review the product is not deemed defective, Nordon or its respective manufacturers reserves the right to deny payment for repair and labor. The labor warranty shall be for self-contained units only and for standard straight time, which is defined as normal service rate time, for service performed during normal working hours. Any service requested outside of a service is normal working hours will be covered under this warranty at the normal rate and any additional overtime rate will be the responsibility of the equipment purchaser. Any part determined to be defective and requested to be returned should be returned to the company within thirty (30) days under the terms of this warranty and must be

accompanied by a record of the cabinet model, serial number, and identified with a return authorization number issued by the manufacturer. Improper operation resulting from factors, including but not limited to, low voltage conditions, inadequate wiring, and accidental damage are not manufacturing defects and are strictly the responsibility of the purchaser. Condenser coils must be cleaned at regular intervals. Failure to do so can cause compressor malfunction and will void warranty. Although cleaning requirement may vary in accordance with the operation of various products, we recommend a minimum monthly cleaning. This warranty is not effective, if prior authorization was not provided by Nordon or its respective manufacturers for warranty service work, within the warranty period.

ADDITIONAL TWO (2) YEAR COMPRESSOR PART WARRANTY:

In addition to the warranty set forth above, Nordon & its respective manufacturers warrants the hermetically / semi-hermetically sealed compressor (part only) for an additional two (2) years, based upon installation date; not to exceed sixty-three (63) months from the date of shipment from Nordon or its respective manufacturers. For hermetically sealed compressors only, the compressor data tags may be returned to the factory for this warranty instead of the compressor part. Semihermetic compressors may be exchanged through local compressor distributors and copies of local invoices and core credits submitted for reimbursement. This extended warranty does not apply to any electrical controls, condenser, evaporator, fan motors, overload switch, starting relay, temperature control, dryer, accumulator, wiring harness, labor charges, or supplies which are covered by the standard warranty above.


NO CLAIMS CAN BE MADE AGAINST THIS WARRANTY FOR SPOILAGE OF PRODUCTS, LOSS OF SALES OR CONSEQUENTIAL DAMAGES. THE FOREGOING WARRANTIES ARE EXPRESSLY GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESS, IMPLIED, OR STATUTORY, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED, AND ALL OTHER OBLIGATIONS OR LIABILITIES ON OUR PART, AND WE NEITHER ASSUME, NOR AUTHORIZE ANY OTHER PERSON TO ASSUME FOR US, ANY OBLIGATION OR LIABILITY IN CONNECTION WITH THE SALE OF SAID REFRIGERATION UNITS OR ANY PARTS THEREOF.

This warranty shall not be assignable and shall be honored only in so far as the original purchaser. This warranty does not apply outside the limits of the United States of America and its territories and Canada, nor does it apply to any part which has been subject to misuse, neglect, alteration, accident, or to any damage caused by transportation, flood, fire, or acts of terrorism, or acts of God.

LIMITATION OF LIABILITY:

Nordon or its respective manufacturers, shall not be liable for any indirect, incidental, special or consequential damages, or losses of a commercial nature arising out of a malfunctioning equipment or its parts or components thereof, as a result of defects in material or workmanship.

THE ORIGINAL OWNER'S SOLE AND EXCLUSIVE REMEDY AND NORDON'S, OR ITS RESPECTIVE MANUFACTURERS, SOLE AND EXCLUSIVE LIABILITY SHALL BE LIMITED TO THE REPAIR OR REPLACEMENT OF PARTS OR COMPONENTS CONTAINED IN THE EQUIPMENT IDENTIFIED ABOVE WHICH UNDER NORMAL USE AND SERVICE MALFUNCTION AS A RESULT OF DEFECTS IN MATERIAL OR WORKMANSHIP, SUBJECT TO THE APPLICABLE PROVISIONS AND LIMITATIONS STATED ABOVE.



Toll Free: 1.800.544.0400 | www.nordoninc.com

©2023 National Dairy Council®. Fuel Up is a service mark of the National Dairy Council.